

## Console

AF092MAERA



### FEATURES & BENEFITS

- Top and bottom air supplying.
- Compact size for small spaces
- High efficiency filter for better air quality
- Quiet operation, improving indoor comfort

### PERFORMANCE

Indoor unit name:	Console	Rated heating capacity(kW):	3.2
Indoor unit model:	AF092MAERA	Heating input power(kW):	0.1
Type:	Console	Rated cooling conditions:	Indoor(°C DB/WB):27/19 Ambient(°C DB/WB):35/24
Rated cooling capacity(kW):	2.8	Rated heating conditions:	Indoor(°C DB/WB):20/14.5 Ambient(°C DB/WB):7/6
Sensible capacity(kW):	1.9	Rated piping length (m):	
Cooling input power(kW):	0.1	Rated height separation(m):	

### INDOOR UNIT DETAILS

Power supply(V/Hz/Ph):	220-230/50/60/1	Airflow rate (H/M/L)(m³/h):	460/370/280
Power supply connections:	L,N, Ground	Moisture removal(m³/h):	
Min. circuit Amps MCA (A):	0.28	Gas pipe connection(mm):	Φ12.7
Max. fuse Amps MFA (A):	0.88	Liquid pipe connection(mm):	Φ6.35
Dimensions(H×W×D)(mm):	640×720×255	Condensate connection(mm):	Φ16.5
Panel(H×W×D)(mm):	/	Sound pressure(H/M/L)(dBA):	43/39/36
Net weight(kg):	18	Sound power level(H/M/L)(dBA):	56/53/49
Panel weight(kg):	/	Ext. static pressure (Rated/Max)(Pa):	0/0

### DIMENSIONAL DRAWING

